




**City of Santa Clara
Building Inspection Division**

1500 Warburton Avenue
Santa Clara, CA 95050
Phone: (408) 615-2440
Fax: (408) 241-3823
<http://www.ci.santa-clara.ca.us>

WALL AND CEILING COVERINGS


October 15, 2004




WEEP SCREEDS

Section 2506.5

This booklet was put together using excerpts from the Uniform Building Code Workbook




INTERIOR PLASTER Section 2507




EXTERIOR PLASTER Section 2508

JOINT TREATMENT




Section 2511.5, Exception 2

USE OF GYPSUM BOARD IN SHOWERS AND WATER CLOSETS



*Water-resistant gypsum board not permitted as backing in areas subject to high humidity, such as saunas, steam rooms or gang showers.

Section 2512




Fasteners:

1/2" thick Gypsum Wall Board - No. 13 gauge, 1-3/8" long, 19/64" head; 0.098" diameter, 1-1/4" long, annular ringed; 5d, cooler or wallboard nail (0.086" dia., 1-5/8" long, 15/64" head).

5/8" thick Gypsum Wall Board - No. 13 gauge, 1-5/8" long, 19/64" head; 0.098" diameter, 1-3/8" long, annular ringed; 6d, cooler or wallboard nail (0.0926" dia., 1-7/8" long, 1/4" head).

SINGLE NAILING APPLICATION



DOUBLE NAILING APPLICATION
Table No. 25-G




Figure 7—Alternate braced wall panel, first story of two-story building.




Figure 6—Alternate braced wall panel, one-story building
Section 2320.11.4

Inspection Division
1500 Warburton Avenue
Santa Clara, CA 95050

Building a better community"

Phone: 408-615-2440
Permit Center: 408-615-2420
Fax: 408-241-3823
Email: buildinginspection@ci.santa-clara.

The Building Inspection Division has served the community for more than sixty years. The Building Inspection Division's mission is to protect the public health and safety by assuring that all installations and construction methods meet state and local codes. By being well informed of these codes and requirements you can assist in assuring a safer environment for you and your family.